

Paul

26 June 86

F. W. M. MD

Ed

09:21

from 1,000 feet
Something should

confusion break

from 1,000 feet up
Something should
be visible



A. more

C

confusion break

1,000 feet
up.



A. a
plant
has


B. land

A. Sprawling
ground
hard/any

B. wire

AL BK wire

1,000 feet up



A - above
flat
land

B. land

A. Country road
Snowed
over
recently

B. snowdrifts


A along and
among
asphalt
along
Satis

B. snowdrifts

A above
flat
land


B. asphalt land

1,000 feet up



A. turns
and
solid
B. straight


1,000 feet up



A. moving
away
solid


B.

from 500 feet up
Something
Should
be visible



A1 Bk
drifts

from 500 feet up
Something
Should be visible



A. around
internally
cold/dry
moving
B. activity


red
orange
burn
yellow

Soundy
wide sound
tinykey sound

hot shell
dry fast

warm
muffled thud
snap, pop sound
high pitched "whoop" sound

open
raised up
spread out
A2 Blc
fence, excited
anti ic: poly



A2 Blc
parade field
at
Hindenburg

52

I

ASL

ALS

Ythemic
thumping
noise or
sensation

✓
air Bk
barnacles
are on
a hairy
idling on
ground

dry
wind packed
dusty

smooth
sound

hot
sweaty

people
in
groups
&
elephants

coordinating
getting ready

S2

D

A2

EI

T

I

HL

HS

signature
buildsreddish
color

masonry

Older

imperial

architectural
interests

façade

tall

long

big

sense of
venerability
of establishment
long associate
authorityobject
metallic

Shiny

Complicated

Sophisticated
well made

S2

D

A7

EI

T


I

for A/S

equipment

published
componentclose
tolerance
precision
special
purpose

S42 not self-movable - must be
transported



muds

Sharp
edge

mooth

Some part
dark + flat
in body

Some part +
highly
reflective
+ smooth

52

A2 F -

I ASL 96



Calibrates
Supports
adjusted

"(readied)

electronics
probed

power
cables


motor
sounds

Generator

directive

S4 1/2 not used very often because so
specialized. But for the purpose,
its best tool or thing for job

Approved For Release 2000/08/08 : CIA-RDP96-00789R001900450002-1



Approved For Release 2000/08/08 : CIA-RDP96-00789R001900450002-1

S2

D

AI

EI

T

I

Adr

A/S

input

electro
magneticsJacket
controls
motorcommand
linkhigh
power
decrease

sound

for BL
sound waves
are made of
electric waves
arefor BL
of
beam weaponhighs
directions

forward

Syl 2 direction can change

for 18k
like London

Several
parabolic
uplifters
on a fish
line feed

Vehicle

Drake

from 5 miles up
sunlight streaks
be visible



A. down
front
way

B. low

the down
way
flame

B. wavy

S-2

bare
white
green
brown
color
cool

brown
yellow
green
rough
fuzzy

hairy
dry

bright
gloomy
bumpy

bust
with
spread out

by Blk

below
pleasant

(Body of water)

(Land)



A/s
fields

streams
buildings

hazy

Site is composed of various structures generally areas
in open area, evincing a "containment" feel. Structures (including
others perhaps not site-connected) are located in a wide, low-relief
area with probable farming field/activities surrounding. A
body of water is nearby over which people at site
may have to cross to arrive at objective. Air-
transport may be involved in this "travel," but before
reaching objective people are back on ground.

An elaborate apparatus involved, which is both dark & flat by
color & highly polished, & uses high power input. It involves focusing
& high directivity, & has concept of "command link" input.

Has 6K
molecular
voltage

End 10:40